

Configuring WSC Dialog plugin for CKEditor 4

This guide outlines the main steps that you need to integrate and configure the WebSpellChecker (WSC) Dialog plugin for [CKEditor 4](#). All the described steps are provided for the Server version of WSC Dialog plugin for CKEditor 4.

1. Initialize CKEditor 4

Before integrating and configuring the WSC Dialog plugin, CKEditor 4 should be properly configured in your web application. If you haven't done it yet, please [download the latest version of the CKEditor 4 standard package](#) and refer to [CKEditor Quick Start Guide](#).

2. Activate WSC Dialog plugin

If you are using the standard package of CKEditor 4, the WSC Dialog plugin is already there, which is pointed to the free services. To accomplish migration to the trial or paid version of WSC Dialog Server, the additional WSC Dialog parameters must be added to the CKEditor **config.js** file.

2.1. Specify the path to the WSC Dialog script using **wsc_customLoaderScript** parameter.

```
config.wsc_customLoaderScript = "http(s)://your_host_name/virtual_directory/lf/22/js/wsc_fck2plugin.js";
```

3. Adjust default settings

Define additional WSC Dialog parameters which are responsible for changing default language, adjusting dialog size, etc. For details, refer to a full list of WSC Dialog API parameters and possible values in [WSC Dialog Parameters for CKEditor 4](#) section.

```
config.wsc_lang = 'de_DE';  
config.wsc_height = 800;  
config.wsc_width = 800;
```



Check a demo page with [WSC Dialog Plugin for CKEditor](#) on our website.

Still have a question?

Please feel free to contact our [technical team](#) if you are having any difficulties with the configuration.

Can be also useful:

- [WSC Dialog Parameters for CKEditor 4](#)
- [Configuring SCAYT plugin for CKEditor 4](#)
- [Initializing WProofreader in CKEditor 4](#)